Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	35	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (radius or radial\$4 or disk\$1 or disc or discs)) with (force\$1 or strain\$3 or torque)) and ((locat\$6 or position\$1) with (sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (detect\$5 or determin\$5 or calculat\$5 or comput\$4)) and (brake\$1 or break\$3) and encod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/10/30 10:17
L4	125	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (radius or radial\$4 or disk\$1 or disc or discs)) with (force\$1 or strain\$3 or torque)) and ((locat\$6 or position\$1) with (sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (detect\$5 or determin\$5 or calculat\$5 or comput\$4)) and (brake\$1 or break\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/10/30 15:29
L5	52	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (radius or radial\$4 or disk\$1 or disc or discs)) with (force\$1 or strain\$3 or torque)) and ((locat\$6 or position\$1) with (sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (detect\$5 or determin\$5 or calculat\$5 or comput\$4)) and (brake\$1 or break\$3) and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 11:03

L6	13	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (radius or radial\$4 or disk\$1 or disc or discs)) with (force\$1 or strain\$3 or torque)) and ((locat\$6 or position\$1) with (sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (detect\$5 or determin\$5 or calculat\$5 or comput\$4) with (count\$4 or pulse\$1)) and (brake\$1 or break\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 11:04
L8	26	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (radius or radial\$4 or disk\$1 or disc or discs)) with (force\$1 or strain\$3 or torque)) and ((locat\$6 or position\$1) with (sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (detect\$5 or determin\$5 or calculat\$5 or comput\$4)) and (brake\$1 or break\$3) and ((predetermine\$2 or (pre adj determine\$4)) near (location\$1 or position\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 13:17
L9	28	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (radius or radial\$4 or disk\$1 or disc or discs)) with (force\$1 or strain\$3 or torque)) and ((locat\$6 or position\$1) with (sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (detect\$5 or determin\$5 or calculat\$5 or comput\$4)) and (brake\$1 or break\$3) and ((predetermine\$2 or (pre adj determine\$)) adj2 (location\$1 or position\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:35
L13	3	"6263728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:27

			<u>. </u>			
L14	503	(702/42,43,174,175).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2006/10/30 15:28
L15	378	(702/41).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 15:30
L16	2707	(73/462,862.041,146).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 15:29
L17	1	I14 and (tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (radius or radial\$4 or disk\$1 or disc or discs)) with (force\$1 or strain\$3 or torque)) and ((locat\$6 or position\$1) with (sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (detect\$5 or determin\$5 or calculat\$5 or comput\$4)) and (brake\$1 or break\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:29
L18	34	I16 and (tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (radius or radial\$4 or disk\$1 or disc or disc`s)) with (force\$1 or strain\$3 or torque)) and ((locat\$6 or position\$1) with (sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (detect\$5 or determin\$5 or calculat\$5 or comput\$4)) and (brake\$1 or break\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:29

	· · · · · · · · · · · · · · · · · · ·	+	Τ			
L19		I15 and (tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (radius or radial\$4 or disk\$1 or disc or discs)) with (force\$1 or strain\$3 or torque)) and ((locat\$6 or position\$1) with (sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (detect\$5 or determin\$5 or calculat\$5 or comput\$4)) and (brake\$1 or break\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/10/30 15:29
L20	164	SHIRAISHI-MASAKI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:30
L21	2	L20 and tyre\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:30
L22	. 65	L20 and tire\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	.2006/10/30 15:30
S1	0	"10725459"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:28
S2	1	"10/725459"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:29
S3	164	SHIRAISHI-MASAKI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:33
S4	1	SHIRAISHI-MASAKI-HAINESU-OO S	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:31

	,					
S5	65	S3 and tire\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:35
S6	2	S3 and tyre\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:34
S7	66	S3 and (tire or tires or tyre or tyres)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:36
S8	3	S3 and (tire or tires or tyre or tyres) and ((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:48
S9	2146	(tire or tires or tyre or tyres) and ((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:49
S10	2861	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims)) with (force\$1 or strain\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:50
S11	3872	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims)) with (force\$1 or strain\$3 or torque))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:51
S12	1942	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims)) with (force\$1 or strain\$3 or torque)) and ((position\$3 or locat\$5) with (sensor\$1 or detect or transducer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:54

	,		,			
S13	1642	(tire or tires or tyre or tyres) and (((sensor\$1 or detector\$1 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims)) with (force\$1 or strain\$3 or torque)) and ((position\$3 or locat\$5) with (sensor\$1 or detect or transducer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:53
S14	1177	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims)) with (force\$1 or strain\$3 or torque)) and ((position\$3 or locat\$5) with (sensor\$1 or detector\$1 or transducer\$1) with (determin\$6 or calculat\$6 or comput\$6 or detect\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:56
S15	149	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims)) with (force\$1 or strain\$3 or torque)) and ((position\$3 or locat\$5) with (sensor\$1 or detector\$1 or transducer\$1) with (determin\$6 or calculat\$6 or comput\$6 or detect\$5)) and (measur\$5 near (position\$1 or location\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:57
S16	252	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims)) with (force\$1 or strain\$3 or torque)) and ((position\$3 or locat\$5) with (sensor\$1 or detector\$1 or transducer\$1) with (determin\$6 or calculat\$6 or comput\$6 or detect\$5)) and (measur\$5 near2 (position\$1 or location\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:58

S17	178	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims)) with (force\$1 or strain\$3 or torque)) and (((position\$3 or locat\$5) with (sensor\$1 or detector\$1 or transducer\$1) with (determin\$6 or calculat\$6 or comput\$6 or detect\$5)) same (wheel\$1 or rim or rims)) and (measur\$5 near2 (position\$1 or location\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 16:01
S18	880	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims)) with (force\$1 or strain\$3 or torque)) and (((position\$3 or locat\$5) with (sensor\$1 or detector\$1 or transducer\$1) with (determin\$6 or calculat\$6 or comput\$6 or detect\$5)) same (wheel\$1 or rim or rims))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/10/25 16:02
S19	761	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims)) with (force\$1 or strain\$3 or torque)) and (((position\$3 or locat\$5) with (sensor\$1 or detector\$1 or transducer\$1) with (determin\$6 or calculat\$6 or comput\$6 or detect\$5)) with (wheel\$1 or rim or rims))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 16:02
520	261	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims)) with (force\$1 or strain\$3 or torque)) and (((position\$3 or locat\$5) with (sensor\$1 or detector\$1 or transducer\$1) with (determin\$6 or calculat\$6 or comput\$6 or detect\$5)) with (wheel\$1 or rim or rims)) and (predetermin\$2 with (location\$1 or position\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 16:03

S21	261	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims)) with (force\$1 or strain\$3 or torque)) and (((position\$3 or locat\$5) with (sensor\$1 or detector\$1 or transducer\$1) with (determin\$6 or calculat\$6 or comput\$6 or detect\$5)) with (wheel\$1 or rim or rims)) and ((predetermine\$2 or (pre adj determin\$4)) with (location\$1 or position\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 16:10
S22	135	((tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims)) with (force\$1 or strain\$3 or torque)) and (((position\$3 or locat\$5) with (sensor\$1 or detector\$1 or transducer\$1) with (determin\$6 or calculat\$6 or comput\$6 or detect\$5)) with (wheel\$1 or rim or rims)) and ((predetermin\$4)) near2 (location\$1 or position\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 16:13
S23	327978	sumitomo.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 16:12
S24		S23 and (tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims)) with (force\$1 or strain\$3 or torque)) and (((position\$3 or locat\$5) with (sensor\$1 or detector\$1 or transducer\$1) with (determin\$6 or calculat\$6 or comput\$6 or detect\$5)) with (wheel\$1 or rim or rims)) and ((predetermin\$2 or (pre adj determin\$4)) near2 (location\$1 or position\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 16:16

		*				
S25	48	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims)) with (force\$1 or strain\$3 or torque)) and (((position\$3 or locat\$5) with (sensor\$1 or detector\$1 or transducer\$1) with (determin\$6 or calculat\$6 or comput\$6 or detect\$5)) with (wheel\$1 or rim or rims)) and (((predetermin\$4)) near2 (location\$1 or position\$1)) with (measur\$6 or sense or sensing or detect\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 16:18
S26	395	(tire or tires or tyre or tyres) and (radial with strain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 07:42
S27	68	(tire or tires or tyre or tyres) and (radial with strain\$1) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims)) with (force\$1 or strain\$3 or torque))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:07
S28	71	(tire or tires or tyre or tyres) and (radial with strain\$1) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims or disk\$1 or disc or discs)) with (force\$1 or strain\$3 or torque))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:54
S29	3928	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims or disk\$1 or disc or discs)) with (force\$1 or strain\$3 or torque))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:56
530	2112	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims or disk\$1 or disc or discs)) with (force\$1 or strain\$3 or torque)) and ((locat\$6 or position\$1) with (sensor\$1 or detect\$4 or transducer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:57

	,					
S31	1524	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or wheel\$1 or rim or rims or disk\$1 or disc or discs)) with (force\$1 or strain\$3 or torque)) and ((locat\$6 or position\$1) with (sensor\$1 or detect\$4 or transducer\$1) with (detect\$5 or determin\$5 or calculat\$5 or comput\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:58
S32	247	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1) with (radius or radial\$4 or disk\$1 or disc or discs)) with (force\$1 or strain\$3 or torque)) and ((locat\$6 or position\$1) with (sensor\$1 or detect\$4 or transducer\$1) with (detect\$5 or determin\$5 or calculat\$5 or comput\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 07:38
S33	254	(tire or tires or tyre or tyres) and (((sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (radius or radial\$4 or disk\$1 or disc or discs)) with (force\$1 or strain\$3 or torque)) and ((locat\$6 or position\$1) with (sensor\$1 or detect\$4 or transducer\$1 or gauge\$1 or gage or gages) with (detect\$5 or determin\$5 or calculat\$5 or comput\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 12:26